



MONTANA HAUSTROPFEN

Product information

Reg. No.: 2637
Size of package: 6 x 20 ml, 50 ml, 200 ml, 500 ml
Application: Solution for oral use.
For sale in pharmacies only.
Registered pharmaceutical product.

CHARACTERISTICS AND EFFICACY

MONTANA DROPS interfere with the disturbed course of digestion through a sensible combination of various herbs. Their effect is based on stimulation of oral salivation, on promotion of production of gastric juice and on promotion of motility and tonus of the stomach. **MONTANA DROPS** also promote the activity of the gall bladder and have a slightly laxative effect.

The essential oils, which **MONTANA DROPS** contain, have a carminative, antispasmodic and antifermentative effect during decomposition processes in the gastrointestinal tract and quickly reestablish general well being.

INDICATIONS

MONTANA DROPS are used as a tried remedy with the following complaints:

- nausea
- spasms and pains of the gastro-intestinal tract
- gall bladder complaints
- disturbed fat-digestion
- sensation of repletion
- flatulences
- inappetence
- constipation
- anacid as well as subacid gastritis

INTERACTION, CONTRAINDICATIONS, PREGNANCY AND BREASTFEEDING

No interactions are known at present.

Contraindications: Hypersensitivity against one of the components of the medicinal product, paragroup allergy.

It is possible to take **MONTANA DROPS** during pregnancy and lactation, but the stated dose may not be exceeded.

WARNINGS AND PRECAUTIONS

This medicinal product contains 48 % V/V alcohol. With a maximum dose of 2 teaspoons (=10 ml), this corresponds to an alcohol content of 3,85 g. Consequently, **MONTANA DROPS** may not be given to alcoholics. Caution is required in the case of patients who suffer from hepatic disease or seizures.

MONTANA DROPS are suitable for diabetics with recommended dosage.

MONTANA DROPS is free of gluten and lactose. Therefore it is possible to take the drops during celiac disease and lactose intolerance.

MONTANA DROPS are not suitable for nurslings and infants.

Keep out of the reach of children.

DOSAGE, METHOD AND DURATION OF USE

MONTANA DROPS are to be taken with some water.

If the doctor does not prescribe anything else, 1-2 teaspoons (5-10 ml) of **MONTANA DROPS** after meals:

With inappetence: 10-20 minutes before meals.
With constipation: 2 teaspoons of **MONTANA DROPS** in a glass of lukewarm water on empty stomach before breakfast.

Children from 6 to 10 years old take: ½ teaspoon (2,5 ml)
Children from 10 to 14 years old take: ½ - 1 teaspoon (2,5-5 ml)

MONTANA DROPS are also ideal for long-term therapeutic use.

SIDE EFFECTS

No side effects are known at present.

COMPOSITION

100 ml **MONTANA DROPS** contain 48 % alcoholic extract of following herbs:

- 1 g hop strobile
- 2 g gentian root
- 1 g cinnamon
- 2 g bitter-orange epicarp and mesocarp
- 1 g caraway fruit
- 3 g dandelion
- 0,06 g peppermint oil
- 1 g red sandalwood (Corrigens)

PARTICULAR STORAGE INFORMATION

Pay attention to expiration date. **MONTANA DROPS** should be stored sealed and protected from light. Do not store above room temperature (25°C).
A small amount of precipitate can form with plant extracts. However, this has no effect on potency.

